

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Claim Listing:**

1. (currently amended) A method for trusting sites in a communication network, comprising:

- (a) providing a policy being responsive to input credentials for verifying at least two declarations in respect of a site; ~~each one of said~~ at least two of said declarations ~~is~~ are associated with at least ~~one~~ two respective symbols;
- (b) a user accessing a site through a communication network;
- (c) providing through said communication network at least one credential indicative of at least two declarations about the site;
- (d) authenticating the site and testing said at least one credential against the policy in order to verify said at least two declarations and displaying in respect of each verified declaration the corresponding at least ~~one~~ two respective symbols.

2. (currently amended) The method according to Claim 1, wherein said policy includes role assignment module associated with role policy; and wherein said testing stipulated in said step (d) includes:

- (i) mapping a subject in said at least one credential that corresponds to said site to roles according to said role policy;
- (ii) in the case that said subject is mapped to roles that correspond to said declarations the latter declarations ~~are~~ is verified and said ~~at least one~~ symbols are ~~is~~ displayed.

3. (previously presented) The method according to Claim 1, wherein each declaration in said step (d) corresponds to a respective symbol.

4. (previously presented) The method according to Claim 1, wherein said communication network includes the Internet.

5.(previously presented) The method according to Claim 1, wherein at least one of said symbol is proxy or user configured.

6. (previously presented) The method according to Claim 1, wherein said authenticating step includes applying an SSL authenticating protocol.

7. (previously presented) The method according to claim 1, wherein said at least two ~~one~~ symbols are is displayed in a trusted pane.

8. (currently amended) The method according to Claim 7, wherein in the case that said at least one declaration is verified as stipulated in said step (d), said displaying step includes: displaying in a two pane mode at least one original site page in a first pane from among said two panes and said at least ~~said one~~ two symbols in a trusted pane from among said trusted pane.

9. (previously presented) The method according to Claim 1, wherein a declaration that corresponds to one of said symbols being that the site is sex free.

10. (previously presented) The method according to Claim 1, wherein a declaration that corresponds to one of said symbols being that the site is violence free.

11. (previously presented) The method according to Claim 1, wherein said credential being a certificate or certificate chain.

12. (canceled)

13. (canceled)

14. (canceled)

15. (canceled)

16. (canceled)

17. (canceled)

18. (canceled)

19. (canceled)

20. (canceled)

21. (canceled)

22. (canceled)

23. (canceled)

24. (canceled)

25. (currently amended)      A system for trusting sites in a communication network, the communication network including a plurality of user nodes inter-linked through at least one proxy node to at least one site server, the system comprising:

the proxy is associated with a policy being responsive to input certificates for verifying at least two declarations in respect of a site; ~~each of~~ at least two of said one declarations are is associated with at least ~~one~~ two respective symbols;

a user accessing from a user node, through a proxy node to a server site;

the server site providing to said proxy node, through said communication network, at least one credential indicative of at least two declarations about the site;

the proxy node authenticating the site and testing said at least one credential against the policy in order to verify said at least two declarations and displaying in respect of each verified declaration the corresponding at least ~~one~~ two respective symbols.

26. (canceled)

27. (previously presented) The system according to Claim 25, wherein said user node includes a browser.

28. (currently amended) The system according to Claim 26 40, wherein said user node includes browser.

29. (previously presented) The system according to Claim 25, wherein said node being cellular telephone.

30. (currently amended) The system according to Claim 26 40, wherein said user node being cellular telephone.

31. (previously presented) The system according to Claim 25, wherein said node being Personal Digital Assistance device.

32. (currently amended) The system according to Claim 26 40, wherein said node being Personal Digital Assistance device.

33. (currently amended) The system according to Claim 26 40, wherein the proxy node is configured in response to said advanced policy, to collect additional credentials from credential repository.

34. (previously presented) For use in the system of Claim 25, server site.

35. (previously presented) For use in the system of Claim 25, a proxy node.

36. (previously presented) For use in the system of Claim 25, a user node.

37. (canceled)

38. (canceled)

39. (canceled)

40. (new) The system according to Claim 25, wherein said policy is advanced policy.